

PROFESSIONAL

ARTHROSCOPY PRODUCT

ARTROLINE

Moving is Life

ARTROLINE
Moving is Life

+90 (322) 504 85 85
info@artrotek.com.tr
export@artrotek.com.tr | export2@artrotek.com.tr
www.artrotek.com.tr
Yeşiloba District 46205 Street No: 17/1 L Seyhan, ADANA/TÜRKİYE

www.**artrotek**.com.tr

ABOUT US

Artrotek Tıbbi Malzeme San. ve Tic. Ltd. Şti.

In January 2018, we brought together our surgical product experience initially gained through the regional distribution of orthopedic surgery products since 2008 under our brand ARTROLINE, which understands the solution needs of arthroscopy and offers innovative technical approaches to its core challenges.

Since its establishment, Artrotek has built a strong technical infrastructure to obtain approvals from internationally recognized organizations for the registration of its R&D-based products. Guided by a commitment to human health and safety, and aware of the dynamic nature of a market that demands continuous innovation, ARTROLINE aims to take an active role in both national and global markets by maintaining its dedication to research and development.



OUR MISSION

To empower surgeons with precision-engineered arthroscopy solutions that simplify procedures, improve clinical outcomes, and make advanced minimally invasive care accessible worldwide.

OUR VISION

To become the most trusted and agile global partner in arthroscopy by setting new standards in innovation, surgeon collaboration, and value-driven medical technology.



www.artrotek.com.tr
ARTROLINE
Moving is Life


CONTENT

TITANIUM ANCHOR	07
PEEK ANCHOR	08-09
KNOTLESS PEEK+PEEK ANCHOR	10
KNOTLESS PEEK+TITANIUM ANCHOR	11
SUTURE ANCHOR (SOFT ANCHOR)	12
HEADLESS TITANIUM ANCHOR	13
PEEK+PEEK SCREW ANCHOR	14
PEEK+TITANIUM SCREW ANCHOR	15
ENHANCED SUTURES	16
BUTTONS	17
LIFT SYSTEMS	18-29
SYNDEZMOZ SYSTEM WITH SENDER	30
U STAPLE	31
PEEK INTERFERANCE SCREWS	32
TITANIUM INTERFERANCE SCREWS	34
MICROFRACTURE FIXATION SYSTEM	36
MENISCUS REPAIR SYSTEM	37
SUTURE CUTTER	37
INSIDE-OUT MENISCAL REPAIR SYSTEM	37
SUTURE PASSER NITINOL WIRE	38
PASSING PIN	39
INTERFERANCE SCREW NITINOL GUIDE WIRE	40
SUTURE PASSER NITINOL NEEDLE	41
MICROFRACTURE HANDLE	42
MOSAICPLASTY KIT	43
SUTURE PASSER KNEE SCORPION	44
SUTURE PASSER SHOULDER SCORPION	45
ACL KNEE ARTHROSCOPY INSTRUMENT SET	46
SHOULDER ARTHROSCOPY INSTRUMENT SET	47
ARTROLINE ART-ACL-PCL ALL INSIDE SET	48
MENISCUS REPAIR SET	49
POLYSURFACE SET	50
DISPOSABLE TROCAR	51
POLYSURFACE PATELLA FEMORAL ARTICULAR COMPONENT	52
POLYSURFACE FEMUR ARTICULAR COMPONENT	53
POLYSURFACE TAPER SCREW	54
SHAVER BLADE AND BURRS	55
ALL-INSIDE ACL RECONSTRUCTION REAMER	56
RF PROBE	57
BONE PASTA	58
PERICARDIAL PATCH	59
CARTILAGO MATRIX	60
CARTILAGE TISSUE MATRIX	61
ARTHROSCOPY INFLOW TUBE SET	62
COLLAGEN MENISCUS IMPLANT	63



TITANIUM ANCHOR

ARTROLINE TITANIUM SUTURE ANCHOR




- High biocompatibility. Safe and comfortable to use.
- High grip ergonomic handle
- Indicated for Rotator Cuff, Bankart and SLAP lesions.


REF NO	PRODUCT NAME	SUTURE SIZE	NEEDLE	MATERIAL
ATA-1020	ARTROLINE TITANIUM SUTURE ANCHOR WITH NEEDLE Ø2 mm	USP 0 41±1 cm	0.80 MM ½ Round Bodied	TITANIUM (Ti-6Al-4V) UHMWPE
ATA-1035	ARTROLINE TITANIUM SUTURE ANCHOR WITH NEEDLE Ø3.5 mm	USP 2 90±1 cm x2	1.25 MM ½ Round Bodied	TITANIUM (Ti-6Al-4V) UHMWPE
ATA-1050	ARTROLINE TITANIUM SUTURE ANCHOR WITH NEEDLE Ø5 mm	USP 2 90±1 cm x2	1.25 MM ½ Round Bodied	TITANIUM (Ti-6Al-4V) UHMWPE
ATA-1065	ARTROLINE TITANIUM SUTURE ANCHOR WITH NEEDLE Ø6,5 mm	USP 2 90±1 cm x2	1.25 MM ½ Round Bodied	TITANIUM (Ti-6Al-4V) UHMWPE

REF NO	PRODUCT NAME	SUTURE SIZE	NEEDLE	MATERIAL
ATA-2020	ARTROLINE TITANIUM SUTURE ANCHOR WITHOUT NEEDLE Ø2 mm	USP 0 41±1 cm	WITHOUT NEEDLE	TITANIUM (Ti-6Al-4V) UHMWPE
ATA-2035	ARTROLINE TITANIUM SUTURE ANCHOR WITHOUT NEEDLE Ø3.5 mm	USP 2 90±1 cm x2	WITHOUT NEEDLE	TITANIUM (Ti-6Al-4V) UHMWPE
ATA-2050	ARTROLINE TITANIUM SUTURE ANCHOR WITHOUT NEEDLE Ø5 mm	USP 2 90±1 cm x2	WITHOUT NEEDLE	TITANIUM (Ti-6Al-4V) UHMWPE
ATA-2065	ARTROLINE TITANIUM SUTURE ANCHOR WITHOUT NEEDLE Ø6,5 mm	USP 2 90±1 cm x2	WITHOUT NEEDLE	TITANIUM (Ti-6Al-4V) UHMWPE

PEEK ANCHOR

ARTROLINE PEEK SCREW ANCHOR ENHANCED WITH SUTURE






- The high-strength suture structure ensures reliable adhesion and controlled load distribution in tissue fixation.
- Provides high fixation in cortical and spongy bone structures.
- Indicated in; Rotator Cuff and lateral ligament repairs.

REF NO	PRODUCT NAME	SUTURE SIZE	MATERIAL
APA-1045	ARTROLINE PEEK SCREW ANCHOR ENHANCED WITH SUTURE 4.5 MM	USP 2 90±1 cm x2	PEEK-UHMWPE
APA-1055	ARTROLINE PEEK SCREW ANCHOR ENHANCED WITH SUTURE 5.5 MM	USP 2 90±1 cm x2	PEEK-UHMWPE
APA-1065	ARTROLINE PEEK SCREW ANCHOR ENHANCED WITH SUTURE 6.5 MM	USP 2 90±1 cm x2	PEEK-UHMWPE

PEEK ANCHOR

ARTROLINE KNOTLESS PEEK WITHOUT SUTURE ANCHOR






- Knotless • Perfect biocompability.
- It's made of high strength PEEK
- Knotless Anchor's perforated PEEK body provides a strong, stable and reliable alternative for lateral fixation in Rotator cuff repair..

REF NO	PRODUCT NAME	MATERIAL
ADS-3035	ARTROLINE KNOTLESS PEEK WITHOUT SUTURE ANCHOR 3,5 MM	PEEK
ADS-3045	ARTROLINE KNOTLESS PEEK WITHOUT SUTURE ANCHOR 4,5 MM	PEEK
ADS-3055	ARTROLINE KNOTLESS PEEK WITHOUT SUTURE ANCHOR 5,5 MM	PEEK
ADS-3065	ARTROLINE KNOTLESS PEEK WITHOUT SUTURE ANCHOR 6,5 MM	PEEK

KNOTLESS ANCHOR

ARTROLINE KNOTLESS PEEK+PEEK ANCHOR



- The Knotless PEEK+PEEK Anchor combines surgical precision and mechanical reliability in a single design.
- The intelligent locking mechanism helps maintain stability along the suture line.
- The knot-free design supports more efficient use of operating time.


REF NO	PRODUCT NAME	SUTURE SIZE	MATERIAL
ADS-4029	ARTROLINE KNOTLESS WITH SUTURE PEEK+PEEK ANCHOR 2,9 MM	USP 2 90±1 cm x2	PEEK+PEEK-UHMWPE
ADS-4035	ARTROLINE KNOTLESS WITH SUTURE PEEK+PEEK ANCHOR 3,5 MM	USP 2 90±1 cm x2	PEEK+PEEK-UHMWPE
ADS-4045	ARTROLINE KNOTLESS WITH SUTURE PEEK+PEEK ANCHOR 4,5 MM	USP 2 90±1 cm x2	PEEK+PEEK-UHMWPE
ADS-4050	ARTROLINE KNOTLESS WITH SUTURE PEEK+PEEK ANCHOR 5 MM	USP 2 90±1 cm x2	PEEK+PEEK-UHMWPE

REF NO	PRODUCT NAME	SUTURE SIZE	MATERIAL
ADS-6029	ARTROLINE KNOTLESS WITHOUT SUTURE PEEK+PEEK ANCHOR 2,9 MM	WITHOUT SUTURE	PEEK+PEEK
ADS-6035	ARTROLINE KNOTLESS WITHOUT SUTURE PEEK+PEEK ANCHOR 3,5 MM	WITHOUT SUTURE	PEEK+PEEK
ADS-6045	ARTROLINE KNOTLESS WITHOUT SUTURE PEEK+PEEK ANCHOR 4,5 MM	WITHOUT SUTURE	PEEK+PEEK
ADS-6050	ARTROLINE KNOTLESS WITHOUT SUTURE PEEK+PEEK ANCHOR 5 MM	WITHOUT SUTURE	PEEK+PEEK

ARTROLINE
Moving is Life

KNOTLESS ANCHOR

ARTROLINE KNOTLESS PEEK+TITANIUM ANCHOR



High-performance knotless anchor engineered for easy handling and dependable fixation in shoulder repair.

REF NO	PRODUCT NAME	SUTURE SIZE	MATERIAL
ADS-5029	ARTROLINE KNOTLESS WITH SUTURE PEEK+TITANIUM ANCHOR 2,9 MM	USP 2 90±1 cm x2	PEEK-TITANIUM (Ti-6Al-4V) UHMWPE
ADS-5035	ARTROLINE KNOTLESS WITH SUTURE PEEK+TITANIUM ANCHOR 3,5 MM	USP 2 90±1 cm x2	PEEK-TITANIUM (Ti-6Al-4V) UHMWPE
ADS-5045	ARTROLINE KNOTLESS WITH SUTURE PEEK+TITANIUM ANCHOR 4,5 MM	USP 2 90±1 cm x2	PEEK-TITANIUM (Ti-6Al-4V) UHMWPE
ADS-5050	ARTROLINE KNOTLESS WITH SUTURE PEEK+TITANIUM ANCHOR 5 MM	USP 2 90±1 cm x2	PEEK-TITANIUM (Ti-6Al-4V) UHMWPE

REF NO	PRODUCT NAME	SUTURE SIZE	MATERIAL
ADS-7029	ARTROLINE KNOTLESS WITHOUT SUTURE PEEK+TITANIUM ANCHOR 2,9 MM	WITHOUT SUTURE	PEEK-TITANIUM (Ti-6Al-4V)
ADS-7035	ARTROLINE KNOTLESS WITHOUT SUTURE PEEK+TITANIUM ANCHOR 3,5 MM	WITHOUT SUTURE	PEEK-TITANIUM (Ti-6Al-4V)
ADS-7045	ARTROLINE KNOTLESS WITHOUT SUTURE PEEK+TITANIUM ANCHOR 4,5 MM	WITHOUT SUTURE	PEEK-TITANIUM (Ti-6Al-4V)
ADS-7050	ARTROLINE KNOTLESS WITHOUT SUTURE PEEK+TITANIUM ANCHOR 5 MM	WITHOUT SUTURE	PEEK-TITANIUM (Ti-6Al-4V)

ARTROLINE
Moving is Life

SUTURE ANCHOR

ARTROLINE SUTURE ANCHOR (SOFT ANCHOR)





Flexible yet strong soft anchor designed to ensure secure fixation in soft bone structures and challenging anatomies.

REF NO	PRODUCT NAME	SUTURE SIZE	NEEDLE	MATERIAL
SSA-1013	ARTROLINE SUTURE ANCHOR WITH NEEDLE (SOFT ANCHOR) 1,3 MM	USP 0 42±1 cm	0.80 MM ½ Round Bodied	UHMWPE
SSA-1015	ARTROLINE SUTURE ANCHOR WITH NEEDLE (SOFT ANCHOR) 1,5 MM	USP 1 90±1 cm	1.25 MM ½ Round Bodied	UHMWPE
SSA-1019	ARTROLINE SUTURE ANCHOR WITH NEEDLE (SOFT ANCHOR) 1,9 MM	USP 2 90±1 cm	1.25 MM ½ Round Bodied	UHMWPE
SSA-1030	ARTROLINE SUTURE ANCHOR WITH NEEDLE (SOFT ANCHOR) 3,0 MM	USP 2 90±1 cm	1.25 MM ½ Round Bodied	UHMWPE

REF NO	PRODUCT NAME	SUTURE SIZE	NEEDLE	MATERIAL
SSA-2013	ARTROLINE SUTURE ANCHOR WITHOUT NEEDLE (SOFT ANCHOR) 1,3 MM	USP 0 42±1 cm	WITHOUT NEEDLE	UHMWPE
SSA-2015	ARTROLINE SUTURE ANCHOR WITHOUT NEEDLE (SOFT ANCHOR) 1,5 MM	USP 1 90±1 cm	WITHOUT NEEDLE	UHMWPE
SSA-2019	ARTROLINE SUTURE ANCHOR WITHOUT NEEDLE (SOFT ANCHOR) 1,9 MM	USP 2 90±1 cm	WITHOUT NEEDLE	UHMWPE
SSA-2030	ARTROLINE SUTURE ANCHOR WITHOUT NEEDLE (SOFT ANCHOR) 3,0 MM	USP 2 90±1 cm	WITHOUT NEEDLE	UHMWPE

ARTROLINE
Moving is Life

www.artrotek.com.tr

HEADLESS TITANIUM ANCHOR

ARTROLINE TITANIUM HEADLESS ANCHOR





Headless design minimizes tissue irritation.
Titanium strength: High biocompatibility and superior osseointegration.


REF NO	PRODUCT NAME	SUTURE SIZE	NEEDLE	MATERIAL
ABA-1045	ARTROLINE TITANIUM HEADLESS TYPE 1 ANCHOR WITH NEEDLE 4.5 MM	USP 2 90 ±1 cm x2	1.25 MM ½ Round Bodied	TITANIUM (Ti-6Al-4V)-UHMWPE
ABA-1055	ARTROLINE TITANIUM HEADLESS TYPE 1 ANCHOR WITH NEEDLE 5.5 MM	USP 2 90 ±1 cm x2	1.25 MM ½ Round Bodied	TITANIUM (Ti-6Al-4V) UHMWPE
ABA-1065	ARTROLINE TITANIUM HEADLESS TYPE 1 ANCHOR WITH NEEDLE 6.5 MM	USP 2 90 ±1 cm x2	1.25 MM ½ Round Bodied	TITANIUM (Ti-6Al-4V) UHMWPE

REF NO	PRODUCT NAME	SUTURE SIZE	NEEDLE	MATERIAL
ABA-2045	ARTROLINE TITANIUM HEADLESS TYPE 1 ANCHOR WITHOUT NEEDLE 4.5 MM	USP 2 90 ±1 cm x2	WITHOUT NEEDLE	TITANIUM (Ti-6Al-4V)-UHMWPE
ABA-2055	ARTROLINE TITANIUM HEADLESS TYPE 1 ANCHOR WITHOUT NEEDLE 5.5 MM	USP 2 90 ±1 cm x2	WITHOUT NEEDLE	TITANIUM (Ti-6Al-4V) UHMWPE
ABA-2065	ARTROLINE TITANIUM HEADLESS TYPE 1 ANCHOR WITHOUT NEEDLE 6.5 MM	USP 2 90 ±1 cm x2	WITHOUT NEEDLE	TITANIUM (Ti-6Al-4V) UHMWPE

www.artrotek.com.tr

ARTROLINE
Moving is Life

PEEK+PEEK SCREW ANCHOR




High-performance knotless PEEK anchor suitable for shoulder and other arthroscopic soft-tissue repairs.

REF NO	PRODUCT NAME	SUTURE SIZE	MATERIAL
ASA-1035	ARTROLINE PEEK+PEEK SCREW ANCHOR 3.5 MM	USP 2 95±1 cm	PEEK-UHMWPE
ASA-1045	ARTROLINE PEEK+PEEK SCREW ANCHOR 4.5 MM	USP 2 95±1 cm	PEEK-UHMWPE
ASA-1055	ARTROLINE PEEK+PEEK SCREW ANCHOR 5.5 MM	USP 2 95±1 cm	PEEK-UHMWPE
ASA-1065	ARTROLINE PEEK+PEEK SCREW ANCHOR 6.5 MM	USP 2 95±1 cm	PEEK-UHMWPE

ARTROLINE
Moving is Life

www.artrotek.com.tr

PEEK+TITANIUM SCREW ANCHOR



Headless design minimizes tissue irritation.

Titanium strength: High biocompatibility and superior osseointegration.


REF NO	PRODUCT NAME	SUTURE SIZE	MATERIAL
ASA-2035	ARTROLINE PEEK+TITANIUM SCREW ANCHOR 3.5 MM	USP 2 95±1 cm	PEEK-TITANIUM-UHMWPE
ASA-2045	ARTROLINE PEEK+TITANIUM SCREW ANCHOR 4.5 MM	USP 2 95±1 cm	PEEK-TITANIUM-UHMWPE
ASA-2055	ARTROLINE PEEK+TITANIUM SCREW ANCHOR 5.5 MM	USP 2 95±1 cm	PEEK-TITANIUM-UHMWPE
ASA-2065	ARTROLINE PEEK+TITANIUM SCREW ANCHOR 6.5 MM	USP 2 95±1 cm	PEEK-TITANIUM-UHMWPE

www.artrotek.com.tr

ARTROLINE
Moving is Life

ENHANCED SUTURES





UHMWPE suture: strong, smooth, and durable

REF NO	PRODUCT NAME	SUTURE SIZE	NEEDLE	MATERIAL
GFS-1000	ARTROLINE ENHANCED SUTURE SUTURE USP 0 WHITE	USP 0 80±1 cm	0.80 MM ½ Round Bodied	UHMWPE
GFS-1001	ARTROLINE ENHANCED SUTURE SUTURE USP 0 BLUE/WHITE	USP 0 80±1 cm	0.80 MM ½ Round Bodied	UHMWPE
GFS-1002	ARTROLINE ENHANCED SUTURE SUTURE USP 2 WHITE	USP 2 80±1 cm	1.25 MM ½ Round Bodied	UHMWPE
GFS-1003	ARTROLINE ENHANCED SUTURE SUTURE USP 2 BLUE/WHITE	USP 2 80±1 cm	1.25 MM ½ Round Bodied	UHMWPE
GFS-1004	ARTROLINE ENHANCED SUTURE SUTURE USP 5 WHITE	USP 5 80±1 cm	1.25 MM ½ Round Bodied	UHMWPE
GFS-1005	ARTROLINE ENHANCED SUTURE SUTURE USP 5 BLUE/WHITE	USP 5 80±1 cm	1.25 MM ½ Round Bodied	UHMWPE


BUTTONS

ARTROLINE TITANIUM BUTTON


REF NO	PRODUCT NAME	MATERIAL	
ATB-1001	ARTROLINE TITANIUM BUTTON	TITANIUM(Ti-6Al-4V)	
ATB-1002	ARTROLINE TITANIUM BUTTON TYPE1 14 MM	TITANIUM(Ti-6Al-4V)	
ATB-1003	ARTROLINE TITANIUM BUTTON TYPE1 16 MM	TITANIUM(Ti-6Al-4V)	
ATB-1004	ARTROLINE TITANIUM BUTTON TYPE1 18 MM	TITANIUM(Ti-6Al-4V)	
ATB-1005	ARTROLINE TITANIUM BUTTON TYPE1 20 MM	TITANIUM(Ti-6Al-4V)	
ARB-1014	ARTROLINE ROUND BUTTON 14 MM	TITANIUM(Ti-6Al-4V)	
ARB-1016	ARTROLINE ROUND BUTTON 16 MM	TITANIUM(Ti-6Al-4V)	
ARB-1018	ARTROLINE ROUND BUTTON 18 MM	TITANIUM(Ti-6Al-4V)	
ARB-1020	ARTROLINE ROUND BUTTON 20 MM	TITANIUM(Ti-6Al-4V)	
AJB-1002	ARTROLINE BUTTON (LOOPLESS)	TITANIUM(Ti-6Al-4V)	
AJB-1003	ARTROLINE BUTTON TYPE 1 (LOOPLESS)	TITANIUM(Ti-6Al-4V)	

LIFT SYSTEMS

ARTROLINE FEMORAL LIFT SYSTEM WITH BUTTON



For superior stability, anatomical adaptability, and long-lasting performance.




REF NO	PRODUCT NAME	BUTTON SIZE	SUTURE SIZE	MATERIAL
AFB-1015	ARTROLINE FEMORAL LIFT SYSTEM WITH BUTTON 15 MM	12 mm length	Body Suture USP 6 15 mm length Pulling Suture: USP 2 90±1 cm x 2	TITANIUM (Ti-6Al-4V)-UHMWPE
AFB-1020	ARTROLINE FEMORAL LIFT SYSTEM WITH BUTTON 20 MM	12 mm length	Body Suture USP 6 20 mm length Pulling Suture: USP 2 90±1 cm x 2	TITANIUM (Ti-6Al-4V) UHMWPE
AFB-1025	ARTROLINE FEMORAL LIFT SYSTEM WITH BUTTON 25 MM	12 mm length	Body Suture USP 6 25 mm length Pulling Suture: USP 2 90±1 cm x 2	TITANIUM (Ti-6Al-4V) UHMWPE
AFB-1030	ARTROLINE FEMORAL LIFT SYSTEM WITH BUTTON 30 MM	12 mm length	Body Suture USP 6 30 mm length Pulling Suture: USP 2 90±1 cm x 2	TITANIUM (Ti-6Al-4V) UHMWPE
AFB-1035	ARTROLINE FEMORAL LIFT SYSTEM WITH BUTTON 35 MM	12 mm length	Body Suture USP 6 35 mm length Pulling Suture: USP 2 90±1 cm x 2	TITANIUM (Ti-6Al-4V) UHMWPE
AFB-1040	ARTROLINE FEMORAL LIFT SYSTEM WITH BUTTON 40 MM	12 mm length	Body Suture USP 6 40 mm length Pulling Suture: USP 2 90±1 cm x 2	TITANIUM (Ti-6Al-4V) UHMWPE
AFB-1045	ARTROLINE FEMORAL LIFT SYSTEM WITH BUTTON 45 MM	12 mm length	Body Suture USP 6 45 mm length Pulling Suture: USP 2 90±1 cm x 2	TITANIUM (Ti-6Al-4V) UHMWPE
AFB-1050	ARTROLINE FEMORAL LIFT SYSTEM WITH BUTTON 50 MM	12 mm length	Body Suture USP 6 50 mm length Pulling Suture: USP 2 90±1 cm x 2	TITANIUM (Ti-6Al-4V) UHMWPE
AFB-1055	ARTROLINE FEMORAL LIFT SYSTEM WITH BUTTON 55 MM	12 mm length	Body Suture USP 6 55 mm length Pulling Suture: USP 2 90±1 cm x 2	TITANIUM (Ti-6Al-4V) UHMWPE
AFB-1060	ARTROLINE FEMORAL LIFT SYSTEM WITH BUTTON 60 MM	12 mm length	Body Suture USP 6 60 mm length Pulling Suture: USP 2 90±1 cm x 2	TITANIUM (Ti-6Al-4V) UHMWPE

www.artrotek.com.tr
ARTROLINE
Moving is Life

LIFT SYSTEMS

ARTROLINE FEMORAL LIFT SYSTEM FROM THE BOTTOM MODEL




Advanced adjustable mechanism providing full control of femoral positioning with distal and proximal adjustment.

PRODUCT REF NO	BUTTON SIZE	SUTURE SIZE	MATERIAL
ALS-1001	12 mm length	Body Suture USP 6 Pulling Suture: USP 2 80±1 cm	TITANIUM(Ti-6Al-4V)-UHMWPE

LIFT SYSTEMS

ARTROLINE FEMORAL LIFT SYSTEM BOTTOM PULL ADJUSTABLE FIXATION-SINGLE SUTURE MODEL






Adjustable Sling Design
The distal and proximal adjustable sling design provides flexibility and secure femoral fixation.

Versatile Application
The adjustable structure allows tailored use across a wide range of femoral procedures and surgical techniques.

PRODUCT REF NO	BUTTON SIZE	SUTURE SIZE	MATERIAL
ALS-2001	13,5 mm length	Body Suture USP 6 Pulling Suture: USP 2 80±1 cm	TITANIUM(Ti-6Al-4V)-UHMWPE

LIFT SYSTEMS

ARTROLINE FEMORAL LIFT SYSTEM FROM THE TOP MODEL



High-Precision Design
A high-precision femoral positioning system developed for orthopedic and arthroscopic surgery.

Adjustable Button Control:
The adjustable button structure provides surgeons with maximum control during femoral positioning.

Bidirectional Adjustment:
Bidirectional distal and proximal adjustment enables fast, accurate, and reliable femoral alignment.

REF NO	BUTTON SIZE	SUTURE SIZE	MATERIAL
ALS-3001	12 mm length	Body Suture USP 6 Pulling Suture: USP 2 80±1 cm	TITANIUM(Ti-6Al-4V)-UHMWPE


LIFT SYSTEMS

LIFT SYSTEM WITHOUT BUTTON



REF NO	SUTURE SIZE	MATERIAL
ALS-6001	BODY SUTURE USP 6 LENGTH 125 CM	TITANIUM(Ti-6Al-4V)-UHMWPE

ARTROLINE TAPE LIFT SYSTEM




Helps prevent tendon elongation and laxity over time after rehabilitation.

REF NO	PRODUCT NAME
ALS-7001	2,5 mm tape 1 cm BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7002	2,5 mm tape 1 cm XL BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7003	3 mm tape 1 cm BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7004	3 mm tape 1 cm XL BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7005	3,5 mm tape 1 cm BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7006	3,5 mm tape 1 cm XL BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7007	4 mm tape 1 cm BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7008	4 mm tape 1 cm XL BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7009	4,5 mm tape 1 cm BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7010	4,5 mm tape 1 cm XL BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7011	5 mm tape 1 cm BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7012	5 mm tape 1 cm XL BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7013	5,5 mm tape 1 cm BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7014	5,5 mm tape 1 cm XL BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7015	6 mm tape 1 cm BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7016	6 mm tape 1 cm BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7017	6,5 mm tape 1 cm BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7018	6,5 mm tape 1 cm BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7019	7 mm tape 1 cm BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2
ALS-7020	7 mm tape 1 cm XL BODY SUTURE | USP 6 LENGTH : 115 cm | PULLING SUTURE – USP 2 90±1 cm x2

www.artrotek.com.tr
ARTROLINE Moving is Life

ARTROLINE TAPE DOUBLE LIFT SYSTEM




Maintains tendon stability by preventing elongation and loosening over time after rehabilitation.

REF NO	DESCRIPTION	SUTURE SIZE
ALS-7021	3 mm Tape 5,5 cm	STANDARD BUTTON - STANDARD BUTTON - BODY SUTURE USP 6 LENGTH:115 CM PULLING SUTURE USP 2 90 CM x4
ALS-7022	3 mm Tape 5,5 cm	STANDARD BUTTON - XLARGE BUTTON - BODY SUTURE USP 6 LENGTH:115 CM PULLING SUTURE USP 2 90 CM x4
ALS-7023	3 mm Tape 5.5 cm	XLARGE BUTTON - XLARGE BUTTON - BODY SUTURE USP 6 LENGTH:115 CM PULLING SUTURE USP 2 90 CM x4
ALS-7024	3 mm Tape 6,0 cm	STANDARD BUTTON - STANDARD BUTTON - BODY SUTURE USP 6 LENGTH:115 CM PULLING SUTURE USP 2 90 CM x4
ALS-7025	3 mm Tape 6,0 cm	STANDARD BUTTON - XLARGE BUTTON - BODY SUTURE USP 6 LENGTH:115 CM PULLING SUTURE USP 2 90 CM x4
ALS-7026	3 mm Tape 6,0 cm	XLARGE BUTTON - XLARGE BUTTON - BODY SUTURE USP 6 LENGTH:115 CM PULLING SUTURE USP 2 90 CM x4
ALS-7027	3 mm Tape 6,5 cm	STANDARD BUTTON - STANDARD BUTTON - BODY SUTURE USP 6 LENGTH:115 CM PULLING SUTURE USP 2 90 CM x4
ALS-7028	3 mm Tape 6,5 cm	STANDARD BUTTON - XLARGE BUTTON - BODY SUTURE USP 6 LENGTH:115 CM PULLING SUTURE USP 2 90 CM x4
ALS-7029	3 mm Tape 6,5 cm	XLARGE BUTTON - XLARGE BUTTON - BODY SUTURE USP 6 LENGTH:115 CM PULLING SUTURE USP 2 90 CM x4
ALS-7030	3 mm Tape 7 cm	STANDARD BUTTON - STANDARD BUTTON - BODY SUTURE USP 6 LENGTH:115 CM PULLING SUTURE USP 2 90 CM x4
ALS-7031	3 mm Tape 7 cm	STANDARD BUTTON - XLARGE BUTTON - BODY SUTURE USP 6 LENGTH:115 CM PULLING SUTURE USP 2 90 CM x4
ALS-7032	3 mm Tape 7 cm	XLARGE BUTTON - XLARGE BUTTON - BODY SUTURE USP 6 LENGTH:115 CM PULLING SUTURE USP 2 90 CM x4

www.artrotek.com.tr
ARTROLINE
Moving is Life

AC LIFT SYSTEM

ARTROLINE DOUBLE BUTTON LIFT SYSTEM-AC LIFT SYSTEM



Precision-engineered system ensuring strong, stable fixation through effective compression control.

REF NO	DESCRIPTION	SUTURE SIZE	MATERIAL
ALS-4001	13,35 mm 10 mm	Body Suture – USP 6 Pulling Suture – USP 2 90±1 cm Pulling Suture – USP 2 20±1 cm	TITANIUM(Ti-6Al-4V)-UHMWPE

SYNDEZMOZ SYSTEM

ARTROLINE DOUBLE BUTTON LIFT SYSTEM-SYNDEZMOZ SYSTEM




Integrated Button–Suture Design:
The system features a looped implant pre-loaded on the button, a continuous suture on a double-hole button, and dual pull cords for controlled fixation.

REF NO	DESCRIPTION	SUTURE SIZE	MATERIAL
ALS-5001	10-10 mm	Body Suture –USP 6 Pulling Suture USP 5 50±1 cm	TITANIUM(Ti-6Al-4V)-UHMWPE
ALS-5002	10-6 mm	Body Suture –USP 6 Pulling Suture USP 5 50±1 cm	TITANIUM(Ti-6Al-4V)-UHMWPE
ALS-5003	10-8 mm	Body Suture –USP 6 Pulling Suture USP 5 50±1 cm	TITANIUM(Ti-6Al-4V)-UHMWPE

SYNDEZMOZ SYSTEM WITH SENDER

ARTROLINE DOUBLE BUTTON LIFT SYSTEM -SYNDEZMOZ SYSTEM WITH SENDER




- Easy fixation for syndesmosis, AC joint & hallux.
- Its highly stable structure and 6/8/10 mm button options provide the surgeon with flexible usage possibilities.

REF NO	PRODUCT NAME	DESCRIPTION	SUTURE SIZE	MATERIAL
ALS-5004	ARTROLINE DOUBLE BUTTON LIFT SYSTEM -SYNDEZMOZ SYSTEM WITH SENDER 6 MM	6 MM	BODY SUTURE USP 6 100±1 cm ◯	TITANIUM (Ti-6Al-4V)-UHMWPE
ALS-5005	ARTROLINE DOUBLE BUTTON LIFT SYSTEM -SYNDEZMOZ SYSTEM WITH SENDER 8 MM	8 MM	BODY SUTURE USP 6 100±1 cm ◯	TITANIUM (Ti-6Al-4V)-UHMWPE
ALS-5006	ARTROLINE DOUBLE BUTTON LIFT SYSTEM -SYNDEZMOZ SYSTEM WITH SENDER 10 MM	10 MM	BODY SUTURE USP 6 100±1 cm ◯	TITANIUM (Ti-6Al-4V)-UHMWPE

ARTROLINE
Moving is Life

U STAPLE

U STAPLE





Smart U-Staple design for strong fixation, smooth insertion, and reliable orthopedic performance..

REF NO	PRODUCT NAME	DESCRIPTION	MATERIAL
ATS-1008	TITANIUM U STAPLE 8 MM	Implant inner width : 8 mm	TITANIUM(Ti-6Al-4V)
ATS-1010	TITANIUM U STAPLE 10 MM	Implant inner width : 10 mm	TITANIUM(Ti-6Al-4V)
ATS-1011	TITANIUM U STAPLE 11 MM	Implant inner width : 11 mm	TITANIUM(Ti-6Al-4V)
ATS-1014	TITANIUM U STAPLE 14 MM	Implant inner width : 14 mm	TITANIUM(Ti-6Al-4V)


ARTROLINE
Moving is Life

PEEK INTERFERANCE SCREWS





ACL/PCL fixation. Strong. smooth, reliable. MR safe.




REF NO	PRODUCT NAME	DESCRIPTION	MATERIAL
APS-7025	ARTROLINE PEEK INTERFERANCE SCREW 7*25 MM	Implant diameter: 7 mm Implant length: 25 mm	PEEK
APS-7028	ARTROLINE PEEK INTERFERANCE SCREW 7*28 MM	Implant diameter: 7 mm Implant length: 28 mm	PEEK
APS-7030	ARTROLINE PEEK INTERFERANCE SCREW 7*30 MM	Implant diameter: 7 mm Implant length: 30 mm	PEEK
APS-8025	ARTROLINE PEEK INTERFERANCE SCREW 8*25 MM	Implant diameter: 8 mm Implant length: 25 mm	PEEK
APS-8028	ARTROLINE PEEK INTERFERANCE SCREW 8*28 MM	Implant diameter: 8 mm Implant length: 28 mm	PEEK
APS-8030	ARTROLINE PEEK INTERFERANCE SCREW 8*30 MM	Implant diameter: 8 mm Implant length: 30 mm	PEEK
APS-9025	ARTROLINE PEEK INTERFERANCE SCREW 9*25 MM	Implant diameter: 9 mm Implant length: 25 mm	PEEK
APS-9028	ARTROLINE PEEK INTERFERANCE SCREW 9*28 MM	Implant diameter: 9 mm Implant length: 28 mm	PEEK
APS-9030	ARTROLINE PEEK INTERFERANCE SCREW 9*30 MM	Implant diameter: 9 mm Implant length: 30 mm	PEEK
APS-10025	ARTROLINE PEEK INTERFERANCE SCREW 10*25 MM	Implant diameter: 10 mm Implant length: 25 mm	PEEK
APS-10028	ARTROLINE PEEK INTERFERANCE SCREW 10*28 MM	Implant diameter: 10 mm Implant length: 28 mm	PEEK
APS-10030	ARTROLINE PEEK INTERFERANCE SCREW 10*30 MM	Implant diameter: 10 mm Implant length: 30 mm	PEEK
APS-11025	ARTROLINE PEEK INTERFERANCE SCREW 11*25 MM	Implant diameter: 11 mm Implant length: 25 mm	PEEK
APS-11028	ARTROLINE PEEK INTERFERANCE SCREW 11*28 MM	Implant diameter: 11 mm Implant length: 28 mm	PEEK
APS-11030	ARTROLINE PEEK INTERFERANCE SCREW 11*30 MM	Implant diameter: 11 mm Implant length: 30 mm	PEEK
APS-12025	ARTROLINE PEEK INTERFERANCE SCREW 12*25 MM	Implant diameter: 12 mm Implant length: 25 mm	PEEK
APS-12028	ARTROLINE PEEK INTERFERANCE SCREW 12*28 MM	Implant diameter: 12 mm Implant length: 28 mm	PEEK
APS-12030	ARTROLINE PEEK INTERFERANCE SCREW 12*30 MM	Implant diameter: 12 mm Implant length: 30 mm	PEEK

www.artrotek.com.tr
ARTROLINE Moving is Life

TITANIUM INTERFERANCE SCREWS





High-strength titanium screws delivering smooth insertion and reliable fixation for ACL and PCL reconstruction.



REF NO	PRODUCT NAME	DESCRIPTION	MATERIAL
ATS-7025	ARTROLINE TITANIUM INTERFERANCE SCREW 7*25 MM	Implant diameter: 7 mm Implant length: 25 mm	TITANIUM(Ti-6Al-4V)
ATS-7028	ARTROLINE TITANIUM INTERFERANCE SCREW 7*28 MM	Implant diameter: 7 mm Implant length: 28 mm	TITANIUM(Ti-6Al-4V)
ATS-7030	ARTROLINE TITANIUM INTERFERANCE SCREW 7*30 MM	Implant diameter: 7 mm Implant length: 30 mm	TITANIUM(Ti-6Al-4V)
ATS-8025	ARTROLINE TITANIUM INTERFERANCE SCREW 8*25 MM	Implant diameter: 8 mm Implant length: 25 mm	TITANIUM(Ti-6Al-4V)
ATS-8028	ARTROLINE TITANIUM INTERFERANCE SCREW 8*28 MM	Implant diameter: 8 mm Implant length: 28 mm	TITANIUM(Ti-6Al-4V)
ATS-8030	ARTROLINE TITANIUM INTERFERANCE SCREW 8*30 MM	Implant diameter: 8 mm Implant length: 30 mm	TITANIUM(Ti-6Al-4V)
ATS-9025	ARTROLINE TITANIUM INTERFERANCE SCREW 9*25 MM	Implant diameter: 9 mm Implant length: 25 mm	TITANIUM(Ti-6Al-4V)
ATS-9028	ARTROLINE TITANIUM INTERFERANCE SCREW 9*28 MM	Implant diameter: 9 mm Implant length: 28 mm	TITANIUM(Ti-6Al-4V)
ATS-9030	ARTROLINE TITANIUM INTERFERANCE SCREW 9*30 MM	Implant diameter: 9 mm Implant length: 30 mm	TITANIUM(Ti-6Al-4V)
ATS-10025	ARTROLINE TITANIUM INTERFERANCE SCREW 10*25 MM	Implant diameter: 10 mm Implant length: 25 mm	TITANIUM(Ti-6Al-4V)
ATS-10028	ARTROLINE TITANIUM INTERFERANCE SCREW 10*28 MM	Implant diameter: 10 mm Implant length: 28 mm	TITANIUM(Ti-6Al-4V)
ATS-10030	ARTROLINE TITANIUM INTERFERANCE SCREW 10*30 MM	Implant diameter: 10 mm Implant length: 30 mm	TITANIUM(Ti-6Al-4V)
ATS-11025	ARTROLINE TITANIUM INTERFERANCE SCREW 11*25 MM	Implant diameter: 11 mm Implant length: 25 mm	TITANIUM(Ti-6Al-4V)
ATS-11028	ARTROLINE TITANIUM INTERFERANCE SCREW 11*28 MM	Implant diameter: 11 mm Implant length: 28 mm	TITANIUM(Ti-6Al-4V)
ATS-11030	ARTROLINE TITANIUM INTERFERANCE SCREW 11*30 MM	Implant diameter: 11 mm Implant length: 30 mm	TITANIUM(Ti-6Al-4V)
ATS-12025	ARTROLINE TITANIUM INTERFERANCE SCREW 12*25 MM	Implant diameter: 12 mm Implant length: 25 mm	TITANIUM(Ti-6Al-4V)
ATS-12028	ARTROLINE TITANIUM INTERFERANCE SCREW 12*28 MM	Implant diameter: 12 mm Implant length: 28 mm	TITANIUM(Ti-6Al-4V)
ATS-12030	ARTROLINE TITANIUM INTERFERANCE SCREW 12*30 MM	Implant diameter: 12 mm Implant length: 30 mm	TITANIUM(Ti-6Al-4V)

www.artrotek.com.tr
ARTROLINE
Moving is Life

MICROFRACTURE FIXATION SYSTEM






REF NO	PRODUCT NAME	DESCRIPTION	MATERIAL
MKT-1000	ARTROMIC MICROFRACTURE FIXATION SYSTEM	Length: 251 mm	WIRE HANDLE : STAINLESS STEEL WIRE: NITINOL

This high-strength and ergonomically designed microfracture wire optimizes bone marrow access in arthroscopic surgeries, supporting effective cartilage regeneration.



MENISCUS REPAIR SYSTEM



REF NO	PRODUCT NAME	MATERIAL
122-305	Meniscal Repair System Standard	UHMWPE-PEEK

Efficient and precise meniscus repair.


SUTURE CUTTER



REF NO	PRODUCT NAME	MATERIAL
122-308	Knot Pusher / Suture Cutter	STAINLESS STEEL 304

The sharp stainless-steel blade delivers smooth, accurate suture cutting with consistent precision.

INSIDE-OUT MENISCAL REPAIR SYSTEM




REF NO	SUTURE SIZE	MATERIAL
GFS-1000	Suture diameter : USP 0 0,25 mm Suture Length : 85 cm	UHMWPE


Accurate suture control for secure inside-out meniscus repair and optimal healing.

SUTURE PASSER NITINOL WIRE





Ergonomic handle and flexible nitinol wire deliver precision and confidence in every pass.

REF NO	PRODUCT NAME	DESCRIPTION	MATERIAL	
ST-7000	SUTURE PASSER NITINOL WIRE	0,25 mm diameter 500 mm length	NITINOL	
ST-7001	SUTURE PASSER NITINOL WIRE RIGHT	45 degree	NITINOL	
ST-7002	SUTURE PASSER NITINOL WIRE LEFT	45 degree	NITINOL	
ST-7003	SUTURE PASSER NITINOL WIRE STRAIGHT		NITINOL	

PASSING PIN





REF NO	PRODUCT NAME	DESCRIPTION	MATERIAL	
APP-1024	2.4 PASSING PIN DRILL TIP	Length: 430 mm	STAINLESS STEEL	
APP-2024	2.4 PASSING PIN TROCHAR TIP	Length: 430 mm	STAINLESS STEEL	

Accurate tunneling. Easy control.

INTERFERANCE SCREW NITINOL GUIDE WIRE



REF NO	PRODUCT NAME	DESCRIPTION	MATERIAL
ANT-1008	INTERFERANCE SCREW NITINOL GUIDE WIRE 0,8 MM	Diameter : 0,8 mm Length : 357 mm	NITINOL
ANT-1010	INTERFERANCE SCREW NITINOL GUIDE WIRE 1,0 MM	Diameter : 1,0 mm Length : 357 mm	NITINOL
ANT-1014	INTERFERANCE SCREW NITINOL GUIDE WIRE 1,4 MM	Diameter : 1,4 mm Length : 357 mm	NITINOL

Accurate alignment. Confident interference screw insertion every time.

SUTURE PASSER NITINOL NEEDLE




REF NO	PRODUCT NAME	MATERIAL
SPN-1001	SUTURE PASSER NITINOL NEEDLE	NITINOL
SPN-1002	SUTURE PASSER NITINOL NEEDLE	NITINOL
SPN-1003	SUTURE PASSER NITINOL NEEDLE	NITINOL

Its thin and durable design supports minimally invasive surgery while reducing tissue trauma and enhancing surgeon control.

INSTRUMENT

MICROFRACTURE HANDLE





- Precise Fixation
- Ergonomic Handle
- Durable Construction

REF NO	DESCRIPTION
AR-03-1015	15 DEGREES
AR-03-1016	30 DEGREES
AR-03-1018	45 DEGREES



MOSAICPLASTY KIT





Precision Targeting: Ensures accurate and controlled placement of grafts, supporting optimal cartilage repair.

REF NO	DESCRIPTION
MPK-65	Ø 6,5 * 210 mm
MPK-85	Ø 8,5 * 210 mm




SUTURE PASSER KNEE SCORPION





- Manufactured from high-quality stainless steel for long-lasting strength and reliability.
- Supports smooth and effortless tissue penetration.

REF NO	PRODUCT NAME
AR-03-1020	SUTURE PASSER KNEE SCORPION




SUTURE PASSER SHOULDER SCORPION





REF NO	PRODUCT NAME
ARS-02-1022	SUTURE PASSER SHOULDER SCORPION 1
ARS-02-1024	SUTURE PASSER SHOULDER SCORPION 2

ACL KNEE ARTHROSCOPY INSTRUMENT SET



REF NO	PRODUCT NAME
ACL-001	ACL KNEE ARTHROSCOPY INSTRUMENT SET




It is an ideal solution for surgeons seeking speed, comfort, and professional results in ACL-PCL surgery.

ARTROLINE
Moving is Life

www.artrotek.com.tr

SHOULDER ARTHROSCOPY INSTRUMENT SET



REF NO	PRODUCT NAME
SHL-001	SHOULDER ARTHROSCOPY INSTRUMENT SET




The durable and high-quality instrument construction offers reliable performance and long-lasting use.

It is an ideal set for consistent, professional, and effective results in rotator cuff and similar shoulder surgeries.

www.artrotek.com.tr

ARTROLINE
Moving is Life

ARTROLINE ART-ACL-PCL ALL INSIDE SET



REF NO	PRODUCT NAME
INS-001	ARTROLINE ART-ACL-PCL ALL INSIDE SET

Enables minimally invasive and precise tissue manipulation.

ARTROLINE
Moving is Life

www.artrotek.com.tr

MENISCUS REPAIR SET




REF NO	PRODUCT NAME
MCS-001	ARTROLINE MENISCUS REPAIR SET

It offers the possibility of fast and effective meniscus repair using minimally invasive techniques.

www.artrotek.com.tr

ARTROLINE
Moving is Life

POLYSURFACE SET



REF NO	PRODUCT NAME
PSS-001	POLYSURFACE SET

Rare. Precise. Advanced surface preparation

ARTROLINE
Moving is Life

www.artrotek.com.tr

DISPOSABLE TROCAR



The cannulas optimize flow control with their leak-proof design and adjustable flow port.

REF NO	DESCRIPTION
F310165070	6,5*70mm
F310265090	6,5*90mm
F310385070	8,5*70mm
F310485090	8,5*90mm
F310585110	8,5*110mm

www.artrotek.com.tr

ARTROLINE
Moving is Life

POLYSURFACE PATELLA FEMORAL ARTICULAR COMPONENT



An innovative articular component that supports natural movement in the patellofemoral joint.
Provides secure and durable fixation in weight-bearing cartilage areas.

REF NO	DESCRIPTION	MATERIAL
122-411	25 MM 125 DEGREES	UHMWPE/Ti-6Al-4V
122-412	25 MM 135 DEGREES	UHMWPE/Ti-6Al-4V
122-413	25 MM 145 DEGREES	UHMWPE/Ti-6Al-4V
122-414	30 MM 125 DEGREES	UHMWPE/Ti-6Al-4V
122-415	30 MM 135 DEGREES	UHMWPE/Ti-6Al-4V
122-416	30 MM 145 DEGREES	UHMWPE/Ti-6Al-4V
122-417	35 MM 125 DEGREES	UHMWPE/Ti-6Al-4V
122-418	35 MM 135 DEGREES	UHMWPE/Ti-6Al-4V
122-419	35 MM 145 DEGREES	UHMWPE/Ti-6Al-4V

ARTROLINE
Moving is Life


POLYSURFACE FEMUR ARTICULAR COMPONENT



An effective cartilage regeneration method in medial-lateral condyles and trochlear facets

REF NO	DESCRIPTION	MATERIAL
122-407	12 mm	UHMWPE/Ti-6Al-4V
122-408	16 mm	UHMWPE/Ti-6Al-4V
122-409	22 mm	UHMWPE/Ti-6Al-4V
122-410	16*24 mm	UHMWPE/Ti-6Al-4V

POLYSURFACE TAPER SCREW



An innovative implant designed for minimally invasive procedures

REF NO	DESCRIPTION	MATERIAL
122-420	SCREW 7 MM	TITANIUM(Ti-6Al-4V)
122-421	SCREW 9 MM	TITANIUM(Ti-6Al-4V)



www.artrotek.com.tr

ARTROLINE
Moving is Life

SHAVER BLADE AND BURRS

ARTHROSCOPIC SHAVERS





Common Applications

- Small diameters (2.0–3.0 mm): Wrist, ankle, elbow arthroscopy
- Medium diameters (3.5–4.0 mm): Shoulder and knee arthroscopy
- Large diameters (4.5–5.5 mm): Hip arthroscopy and large joint procedures

PRODUCT NAME
Arthroscopic Shaver Blade – Ø 2.0 mm
Arthroscopic Shaver Blade – Ø 2.7 mm
Arthroscopic Shaver Blade – Ø 3.0 mm
Arthroscopic Shaver Blade – Ø 3.5 mm
Arthroscopic Shaver Blade – Ø 4.0 mm
Arthroscopic Shaver Blade – Ø 4.2 mm
Arthroscopic Shaver Blade – Ø 4.5 mm
Arthroscopic Shaver Blade – Ø 5.0 mm
Arthroscopic Shaver Blade – Ø 5.5 mm

SHAVER BLADE AND BURRS

ARTHROSCOPIC BURRS






Available Working Lengths: 60 mm · 80 mm · 90 mm · 110 mm
Available Head Designs: Round · Oval · Acorn · Conical · Cylindrical

PRODUCT NAME
Arthroscopic Burr – Ø 3.0 mm
Arthroscopic Burr – Ø 3.5 mm
Arthroscopic Burr – Ø 4.0 mm
Arthroscopic Burr – Ø 4.5 mm
Arthroscopic Burr – Ø 5.0 mm
Arthroscopic Burr – Ø 5.5 mm

ALL-INSIDE ACL RECONSTRUCTION REAMER



Maximum drilling efficiency with minimal bone trauma, ensuring accurate all-inside ACL reconstruction.

REF NO	DESCRIPTION
ART-INS013	7 mm
ART-INS014	7,5 mm
ART-INS015	8 mm
ART-INS016	8,5 mm
ART-INS017	9 mm
ART-INS018	9,5 mm
ART-INS019	10 mm
ART-INS020	10,5 mm
ART-INS021	11 mm
ART-INS022	11,5 mm
ART-INS023	12 mm

ARTROLINE
Moving is Life

RF PROBE



Universal compatibility.

REF NO	DESCRIPTION
3A-D003-SG851	RF PROBE



www.artrotek.com.tr

ARTROLINE
Moving is Life

BONE PASTA



Fast application. Strong integration. Reliable support for new bone formation.

REF NO	DESCRIPTION
BGP-05	5 cc

PERICARDIAL PATCH



REF NO	DESCRIPTION
SSP-70	70 X 100 X 05 - 30CC

www.artrotek.com.tr
ARTROLINE
Moving is Life

CARTILAGO MATRIX



- Thanks to its high hydrophilicity, it effectively supports cell proliferation and tissue formation.
- It is a suitable, safe, and modern surgical solution for arthroscopic and open surgical procedures.

REF NO	DESCRIPTION	MATERIAL
BIOAL25x25	25mm X 25mm	“Hyaluronic acid–containing PGLA”

CARTILAGE TISSUE MATRIX



Biocompatible, osteoconductive matrix engineered to support natural bone regeneration.

REF NO	DESCRIPTION
NGXCM0035x35	3,5 X 3,5 cm
NGXCM0025x25	2,5 X 2,5 cm

www.artrotek.com.tr
ARTROLINE
Moving is Life

ARTHROSCOPY INFLOW TUBE SET



Its durable and flexible structure offers reliable performance and ease of use during surgery.

DESCRIPTION

It is designed to be used with 10K and/or 24K pumps.

ARTROLINE
Moving is Life

COLLAGEN MENISCUS IMPLANT



Natural collagen support for effective meniscus regeneration.

REF NO	DESCRIPTION
MEDIAL	9.0 MM
LATERAL	9.5 MM



www.artrotek.com.tr

ARTROLINE
Moving is Life